

Siemens Medical Solutions Diagnostics 511 Benedict Avenue Tarrytown, NY 10591; USA	Emergency Telephone 1-800-424-9300 (Chemtrec) Technical Information 1-877-229-3711
--	---

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

**Product Name:** Ras p21 ELISA

**Product Number:** 06490009

**Date Prepared:** 3/23/2007

**Revision Number:** 2



## 2. COMPOSITION/INFORMATION ON INGREDIENTS

This product contains several components. Please refer to the individual Safety Data Sheets for the components listed below.

<i>Component Name</i>	<i>Product Number</i>
Ras Standards 1-6	29-7025-1/6
Anti-Ras Ras-17 Monoclonal Ab	29-2011
Ras p21 Microtiter Plate	29-7010
Ras Diluent	29-7020
Ras Detector Antibody	29-7030
Ras Conjugate Diluent	29-7040
Ras 50X Conjugate	29-7050
TMB Substrate	29-7055
Ras Stop Solution	29-7080
Ras ELISA RO Water	29-7000
Ras Platewash Concentrate	29-7090

Products may contain components which require reporting under SARA Title III Section 313 (40 CFR 372). See applicable component MSDS.

**EU Classification (1999/45/EC):**

	Xn - Harmful		Xi - Irritant
---	--------------	---	---------------

**EU Risk and Safety Phrases:** R22, R36/38, S26, S28, S36/37/39

## 14. TRANSPORT INFORMATION

**Proper Shipping Name:** Corrosive Liquid, Acidic, Inorganic, n.o.s.

**Technical Name:** (Sulphuric Acid Solution)

**UN Number:** UN3264

**Hazard Class and Packaging Group:** 8, III

**Label(s):** Corrosive





**Packing Instruction (Passenger Aircraft):** IATA 818 (5L)

**Packing Instruction (Cargo Aircraft):** IATA 820 (60L)

**Shipping Container Type:** 4G Box

**Sales Unit:** 1 kit.

**Prepared by:** Regulatory Affairs Department

HMIS Hazard Rating	
 HEALTH	4 Severe Hazard
 FLAMMABILITY	3 Serious Hazard
 REACTIVITY	2 Moderate Hazard
 PERSONAL_PROTECTION	0 1 Slight Hazard
	0 0 Minimal Hazard
	C * An asterisk indicates significant chronic health effects

The opinions expressed herein are those of qualified experts within Siemens Medical Solutions Diagnostics. We believe that the information contained herein is current as of the date of this Material Safety Data Sheet. Since the use of this information and these opinions and the conditions of use of the product are not within the control of Siemens Medical Solutions Diagnostics, it is the users' obligation to assure safe use of the product.